

JELD-WEN
WINDOWS & DOORS

VINYL
WINDOWS & DOORS

VERSA COLLECTION VINYL WINDOWS & EXTERIOR DOORS





Table of Contents

Specialty & Picture Windows	5
Casement Windows	6
Awning, Single-Hung & Slider Windows	7
Contours™ Steel Doors	9
Fibreglass & Raised Panel Doors	9
Decorative Door Lites	9
Swinging Door System	11
Frame Options	11
Steel & Fibreglass Door Styles	12
Raised-Panel Door Styles	13
Steel Entry Doors Configurations & Specifications	14
Sliding Patio Door	17
Designing with Options	18
Window Specifications	20
Warranty Information	26
Window Planning Worksheet	27



JELD-WEN VERSA COLLECTION



The JELD-WEN® Versa® Vinyl Collection, built by United, offers some of the most durable and reliable windows and doors on the market. Specifically designed for new home construction and renovation applications, our products seamlessly integrate beauty, technical superiority and energy efficiency into one package.

The Versa Collection includes a selection of vinyl windows and entry doors made from steel or fibreglass. The collection allows you to customize your products with a wide selection of colours, styles and options. Available with tripane glass for increased energy efficiency and improved Sound Transmission Coefficient, the Versa Collection offers top-tier performance. Personalize the look of your home and enhance its value with an eye-catching array of Versa Collection products from JELD-WEN Windows and Doors.

ENERGY EFFICIENT, DURABLE AND RELIABLE —

THAT'S WHAT THE VERSA VINYL COLLECTION IS ALL ABOUT.

For over 50 years, JELD-WEN has been committed to environmentally responsible practices and products. We continue to develop and implement measures that build upon our proud history as a leader in environmental responsibility. These measures allow us to minimize waste, maximize efficient utilization of materials, minimize our impact on environmental resources and provide our customers with environmentally beneficial products.

JELD-WEN is a leader in carbon footprint reduction. Long before it was recognized that carbon emissions were having a negative impact on our environment, we set out to make sure that our products did not have to travel far from factory to consumer. The Versa Collection has continued this tradition and commitment to being a leading supplier of vinyl windows and doors to the Ontario marketplace.

Vinyl Windows

The Versa Vinyl Collection, built by United, includes a selection of vinyl window styles — casement, awning, picture, single-hung and slider. For special window needs, our custom work provides endless possibilities. Known for its durability, vinyl won't rot, chip or peel. It offers superior insulation and is highly resistant to heat and cold transfer. The Versa Collection offers attractive, durable windows designed for easy installation in new construction, with a variety of options for renovation jobs. Backed by a superior manufacturing facility and support team, we deliver complete orders *"On time, every time."*



WINDOW DESIGN


- 1** 4 3/4" full frame for added structural integrity.
- 2** Engineered for new home construction, with options for renovation projects.
- 3** Factory applied jamb extensions available in paint-grade wood or white vinyl.
- 4** Installation clip option for reliable and simple interior installations.
- 5** Brickmould options include integral nailing flange (*optional*).
- 6** Constructed in a box to box mull style for a truer architectural look.
- 7** Available tripane options for increased energy efficiency and improved Sound Transmission Coefficient.





SPECIALTY WINDOWS


Specialty windows allow you to make creative choices from a wide array of designs. Available in nearly any size, they offer even sightlines and nicely complement operational windows.




Pentoid




Triangle



Handed Triangle




Oval




Half Round




Part Round



Quarter Round



Round



Segmental



Ellipse


1 Half Round Transom

Add character to a bank of fixed units by adding a curved window unit. Create distinction with the use of wide exterior trim.




PICTURE WINDOWS

Picture (fixed) windows, with or without sash, can be ordered to match our operating windows and easily fit into any number of combinations for a truly custom look.



Picture window with sash




Picture window without sash



CASEMENT WINDOWS

Casement windows are hinged from either side and swing out. They can be ordered with either a left or right hinge (as viewed from the outside).



Optional Multipoint Lock

Multipoint Locking Hardware

Added Peace of Mind

Add safety and security with the multipoint locking hardware option. An adjustable, all-metal sash snubber ensures the sash seals tightly against its frame, especially important for taller casement windows.



Optional Folding Crank Handle

Folding Handle

Neatly Tucks Away

This hardware option allows for hassle-free movement of windows. The space-saving folding handle neatly tucks away.



Optional Truth Encore Hardware

Truth Encore Hardware


Easy handling for extended use

This option includes a rounded operator with white nesting handle for easy opening. The handle is made from high-performance materials for years of carefree use.




AWNING WINDOWS

Awning windows open from the bottom using a top hinge, allowing air movement in any kind of weather — including rain.




SINGLE-HUNG WINDOWS

Our extremely popular and versatile single-hung windows open by sliding the bottom sash up for complete control of air movement.



SLIDER WINDOWS

Slider windows combine long-lasting durability with low maintenance. We offer picture windows in matching sizes, so combination options are endless.



CREATE a GRAND ENTRANCE

Beauty & Practicality

We understand that the entry door of your home represents an invitation to come and see what's beyond. It must be functional, too. The Versa Collection of Entry Door systems has been created to help customers turn their houses into homes that are comfortable, quiet and secure.



CONTOURS™ STEEL DOORS

Use the JELD-WEN Contours door for its superior durability, insulating qualities and distinctive beaded sticking profile. With dramatic shadow lines and the look of true wood, this profile has curb appeal previously unseen in a steel door.

You'll also benefit from our cold-climate design, which teams up the insulation qualities of our steel door with a protective weatherstripping to further block water and air infiltration. The result is an entry or garden door that gives you safety and comfort no matter what the weather brings.



Wood stiles and rails create a complete thermal break

Two coats of low-sheen, baked-on enamel primer

24-gauge steel skin

One-piece polystyrene core eliminates core voids and delivers long-lasting insulation

Beaded sticking profile

Steel Door Construction

Contours steel doors are built with a tough, 24-gauge steel skin for all-weather performance. The mitered wood stiles and rail corners prevent water absorption, while the one-piece custom-fitted polystyrene core exceeds NFRC industry standards for U-factor retention. Lock blocks of 12" kiln-dried wood provide complete lock and deadbolt support. Contours doors are available with a standard wood edge and come ready to paint with two coats of durable, baked-on enamel primer.



FIBREGLASS DOORS

Our fiberglass exterior doors feature detailing to create a genuine wood appearance, and they're made to be architecturally authentic. Extremely durable, fiberglass will not rot, crack or split and is very stable, so it can be counted on for trouble-free performance in a variety of weather conditions. Available in a wide variety of sizes and designs to work with the architecture of any home, our textured designs can be painted or stained and our smooth designs can be painted.



RAISED-PANEL DOORS

Increase your curb appeal! Add the traditional look of wooden doors and increase the appeal and value of the entryway to your home.



DECORATIVE DOOR LITES

Adding decorative glass inserts to our Contours steel and Fibreglass doors helps create distinction and individuality for your home, since you can select from a variety of sizes and alternatives, including etched designs, beveled glass and decorative lites. Our broad selection ensures that the end result will provide all of the natural light you wish without compromising security or privacy.





SWINGING DOOR SYSTEM

Swinging Entry Doors are designed for durability and endurance. Multiple points of weatherstripping and a low-profiled sill make this design an energy-efficient choice. Add a decorative door lite and create a look that's all your own.

Self-Closing Hinges

For garage side-doors, we offer self-closing hinges identical in size and shape to regular hinges. We also offer a heavy-duty, ball-bearing hinge as an option. Check local building codes to determine what you need.

Self-Closing Hinge

Open-In Hinge

Open-Out Hinge



Adjusting slot

Tension cylinder



Garden Door
With Sliding Screen



Double Door
No Screen



FRAME OPTIONS

Versa Collection Door Systems are available in your choice of frame materials:

Vinyl Clad System offers the maintenance-free benefit of vinyl and can be colour matched to your Versa Collection vinyl windows. This system features full vinyl frame, jamb and your choice of brickmould options.

Natural Wood System allows you to paint the door frame, jamb and exterior brickmould to match your home's décor.

NEW Fully Stainable Door System provides a unique and luxurious look to your home. Available in select styles and sizes.

Available with Standard Sill Cover, designed to protect the sill during construction.

STEEL & FIBREGLASS DOOR STYLES

Our steel and fibreglass door sizes may be referred to in feet or inches. A 2'8" width door is the same as a 32" width door. A 3' (or three-foot) door width is the same as a 36" width door. Our standard door heights are 6'8" and 8'0".

- LEGEND**
- Available in 6'8" height: CONTOURS[®] STEEL
 - Available in 6'8" height: FIBREGLASS *Woodgrain or Smooth finish*
 - Available in 8'0" height: FIBREGLASS *Woodgrain finish*
 - Available in 8'0" height: CONTOURS[®] STEEL



Flush
■ ■ ○



Full Lite
■ ■ ○



Large Oval
■ ■ ○



2 Panel
■



1/2 Lite 2 Panel
■



2 Panel 3/4 Split
■ ■ ■



3/4 Lite 2 Panel
■ ■ ○



2 Panel Arch Top
■



2 Panel Plank Arch Top
■ ■ ■



3 Panel Arch
■ ■



Small Oval
■



3 Panel
■



3 Panel Small Oval
■



6 Panel
■ ■ ○



1/2 Lite
■ ■



2-836 Lites
■ ■



B04 (4 Panel)
■ ■



B05
■ ■



Segmental
■ ■



Sunburst
■ ■



1/2 Lite Round Top
■ ■



3 Panel Craftsman
■ ■ □



1/4 Lite 3 Panel
Craftsman
■ ■ □



Full Glass
Sidelite
□



Kick Panel
Sidelite
□



Full
Glass Panel
Sidelite



Half
Glass Panel
Sidelite



Full
Venting
Sidelite



Half
Venting
Sidelite



3/4 Lite
Panel
□

RAISED PANEL DOOR STYLES



1 Panel



2 Panel



3 Panel



2.5 Panel




2.5 Panel with
Beveled Glass
(Trellis)




2.5 Panel
with Grilles
(Zen)

STEEL ENTRY DOORS


CONFIGURATIONS & SPECIFICATIONS




Single door




Single door /
Single sidelite
(right or left side)




Double door




Double door /
with optional
Rectangular transom




Double door /
with optional
Elliptical transom




Single door / Double
sidelites with optional
Rectangular transom



Single door / Double
sidelites with optional
Elliptical transom




Single door / Double
sidelites with optional
Segmental transom




Single door / Double
sidelites with optional
Half Round transom

Full Lite Doors & Sidelites



Rectangular
Grilles Between
Glass



Prairie
Grilles Between
Glass

3/4 Lite Door & Sidelite



Rectangular
Grilles Between
Glass


Executive Panel 3/4 Lite Door & Sidelite




Rectangular
Grilles Between
Glass

Available in steel only


1/2 Lite Doors & Sidelites




Rectangular
Grilles Between
Glass



Rectangular
Grilles Between
Glass




2-8/36 Lites
Rectangular
Grilles Between
Glass



Prairie
Grilles Between
Glass


1/2 Lite Round Top Doors




LR1
Rectangular
Grilles Between
Glass




LR2
Rectangular
Grilles Between
Glass




LR3
Rectangular
Grilles Between
Glass




LR4
Rectangular
Grilles Between
Glass



2064 / 2264
Venting




2064 / 2264*
Venting Rectangular
Grilles Between Glass




2064 / 2264*
Internal Blinds


* Not available
in split finish grilles
between glass



Venting




Venting*
Rectangular
Grilles Between Glass




Internal Blinds

Internal Grille Options




B05


External Grille Options




LH2



B18



Full Venting Sidelite
Rectangular
Grilles Between Glass



Half Venting Sidelite
Rectangular
Grilles Between Glass

WIDTH


HEIGHT

Pre-hung Single Door (Frame Size)								
	31 5/16	33 5/16	35 5/16	37 5/16	43 1/2			
81 5/8	30" Slab	32" Slab	34" Slab	36" Slab	42" Slab			
Pre-hung Double Door (Frame Size)								
	61 13/16	65 13/16	69 13/16	73 13/16				
81 5/8	30" Slab	32" Slab	34" Slab	36" Slab				
Kick Panel and Full Glass Sidelites								
	8	10	12	14	16	18	20	26
81 5/8	8" Sidelite	10" Sidelite	12" Sidelite	14" Sidelite	16" Sidelite	18" Sidelite	20" Sidelite	26" Sidelite
* Add 1/16" to each sidelite for mull tolerance								
Half Glass Panel and Full Glass Panel Sidelites								
	13	15						
81 5/8	13" Sidelite	15" Sidelite						

* Add 1/16" to each sidelite for mull tolerance


SINGLE DOOR

In-Swing



Left Hand Right Hand


Out-Swing



Left Hand Right Hand


DOUBLE DOOR

In-Swing




Left / Right Left / Right


Out-Swing



Left / Right Left / Right



Fixed / Left Hand Right Hand / Fixed



Right Hand / Fixed Fixed / Left Hand

INSIDE
OUTSIDE

INSIDE
OUTSIDE



SLIDING PATIO DOOR

Vinyl sliding patio doors open by sliding along horizontal tracks at the head and the sill. Perfect for areas that open on decks or patios, allowing maximum light into the room.




White doors have standard interior/exterior white handle.



Coloured doors have standard interior/exterior black handle.

Optional Hardware

Euro Style Handles: Upgrade to this unique handle set with integrated single-point keylocks. Available in White, Black, Brass, Black Nickel, Satin Nickel or Bright Chrome.



White



Bright Chrome



Brass



Black Nickel



Satin Nickel



Multipoint lock

Multipoint Lock

This heavy duty locking system provides two locking points on the door frame. Optional on all hardware handles.

Optional Locks



Guardian Locks

Mounted at the top of the operating door. The security bolt is engaged and locked into the top door frame. Available in white.




Two Position Kick Locks


Mounted on the bottom of the operating door. Used as secondary lock with door in the closed position. Available in white.

Dimensions


Door/Panel Configurations and Finished Sizes (Exterior view)




(OX-Slide left)




(XO-Slide Right)



(OXO-Slide Centre Left or Right)



(XO-Slide Right or OOX Slide Left)




(OXXO-Slide Right and Slide Left from Centre)

WIDTH

Sliding Patio Door (Frame Size)		59 1/2	71 1/2	95 1/2	88 11/16	106 11/16	142 11/16	116 3/4	140 3/4	188 3/4
HEIGHT	79 1/2	2 Panel	2 Panel	2 Panel	3 Panel	3 Panel	3 Panel	4 Panel	4 Panel	4 Panel
	81 1/2	2 Panel	2 Panel	2 Panel	3 Panel	3 Panel	3 Panel	4 Panel	4 Panel	4 Panel
	95 1/2	2 Panel	2 Panel	2 Panel	3 Panel	3 Panel	3 Panel	4 Panel	4 Panel	4 Panel

EXTERIOR COLOURS

The Versa Collection features 8 exterior colours, available on vinyl windows, patio doors and exterior door frames.



Due to printing techniques, colour may vary slightly.
 * Chestnut Bronze and Black are not available on slider or single-hung windows.

Team up one of the 8 exterior colour brickmoulds with a white window for a unique look.

EXTERIOR BRICKMOULD

Brickmould provides traditional wood window style and gives the finishing touch to the exterior of your home by framing the outside of your window.

Versa Vinyl Collection windows come with the option of external or internal nailing fin, for easier, more stable installation.



1" Closed Brickmould 1" Open Brickmould



External Nailing Fin



Internal Nailing Fin



2" Closed Brickmould



2" Open Brickmould



3 1/4" Open Brickmould

EZ-SCREEN


Standard in all casement and awning windows, EZ-Screen features a completely hidden retention system and smooth edges that won't snag on draperies. Removing and inserting the screen is easy.




USING GRILLES

Adding grilles to a window or patio door can create a unique and interesting look. Choose low-maintenance GBG (*Grilles Between Glass*) or create an authentic divided-lite look with our SDL (*Simulated Divided Lite*) bars.


Standard Grille Patterns




Colonial




Prairie



Muskoka




12" Victorian



16" Victorian

Simulated Divided Lites

Simulated Divided Lites (SDL) are permanently adhered dividers placed on the interior and exterior of the insulating glass unit to replicate traditional window grilles.




1 1/8" Simulated Divided Lite Sandalwood

(Available in White, French Vanilla, Sandalwood, Smoke, Claystone, Sable, Chestnut Bronze and Black)

2 1/4" mullion divided lites are also available.

Grilles Between Glass


Grilles Between Glass (GBG) are an aesthetic feature that provide a luxury appearance. Choose one of various design patterns, placed within the glass, to create an attractive and low-maintenance decorative option.



5/16" Bar – Pewter



5/8" Bar – White



5/8" Bar – Smoke Split Finish
(Available in French Vanilla, Sandalwood, Smoke, Claystone, Sable, Chestnut Bronze and Black)

INSULATED SEALED UNITS

Intercept "Warm-Edge" Technology



Dualpane

Not all insulating glass units are created equal. Intercept Warm-Edge insulating glass spacers save money on energy costs, improve the comfort of a home and provide better long-term performance. Intercept

spacers feature a unique, one-piece U-channel design, which creates an effective thermal barrier to reduce conductive heat loss through the window. The U-channel design allows the spacer to flex under normal weather conditions to resist spacer movement and premature seal failure. Intercept Warm-Edge spacers are a standard feature in both our dualpane and tripane insulating glass units.

Available in both dualpane and tripane constructions, glazing options include the superior insulation of Low-E 180 or the advanced heat-shield properties of Low-E 366.



Low-E 180

With superior insulating properties, Low-E 180 blocks heat loss to the outside while letting in the sun's rays for year-round comfort.



Low-E 366

The advanced heat shield, Low-E 366 blocks the harmful rays that cause interior fading, without the distortion of tinted glass. The ultimate performance glass, Low-E 366 is ideal for hot climates.


CASEMENT WINDOWS

* Meets Bedroom Egress

** Meets 3rd Story Egress


WIDTH

1 Wide Vinyl Casement




HEIGHT

2 Wide Vinyl Casement



HEIGHT

3 Wide Vinyl Casement



1 Wide Vinyl Casement							
	16	20	24	28	30	32	36
16		C2016-1	C2416-1	C2816-1	C3016-1	C3216-1	C3616-1
20	C1620-1	C2020-1	C2420-1	C2820-1	C3020-1	C3220-1	C3620-1
24	C1624-1	C2024-1	C2424-1	C2824-1	C3024-1	C3224-1	C3624-1
28	C1628-1	C2028-1	C2428-1	C2828-1	C3028-1	C3228-1	C3628-1*
32	C1632-1	C2032-1	C2432-1	C2832-1	C3032-1*	C3232-1*	C3632-1*
36	C1636-1	C2036-1	C2436-1	C2836-1*	C3036-1*	C3236-1*	C3636-1*
40	C1640-1	C2040-1	C2440-1	C2840-1*	C3040-1*	C3240-1*	C3640-1*
44	C1644-1	C2044-1	C2444-1	C2844-1*	C3044-1*	C3244-1**	C3644-1**
48	C1648-1	C2048-1	C2448-1	C2848-1*	C3048-1*	C3248-1**	C3648-1**
52	C1652-1	C2052-1	C2452-1	C2852-1*	C3052-1*	C3252-1**	C3652-1**
56	C1656-1	C2056-1	C2456-1	C2856-1*	C3056-1*	C3256-1**	C3656-1**
60	C1660-1	C2060-1	C2460-1	C2860-1*	C3060-1*	C3260-1**	C3660-1**
64	C1664-1	C2064-1	C2464-1	C2864-1*	C3064-1*	C3264-1**	C3664-1**
68	C1668-1	C2068-1	C2468-1	C2868-1*	C3068-1*	C3268-1**	C3668-1**
72	C1672-1	C2072-1	C2472-1	C2872-1*	C3072-1*	C3272-1**	C3672-1**
2 Wide Vinyl Casement							
	32	40	48	56	60	64	72
16		C2016-2	C2416-2	C2816-2	C3016-2	C3216-2	C3616-2
20	C1620-2	C2020-2	C2420-2	C2820-2	C3020-2	C3220-2	C3620-2
24	C1624-2	C2024-2	C2424-2	C2824-2	C3024-2	C3224-2	C3624-2
28	C1628-2	C2028-2	C2428-2	C2828-2	C3028-2	C3228-2	C3628-2*
32	C1632-2	C2032-2	C2432-2	C2832-2	C3032-2*	C3232-2*	C3632-2*
36	C1636-2	C2036-2	C2436-2	C2836-2*	C3036-2*	C3236-2*	C3636-2*
40	C1640-2	C2040-2	C2440-2	C2840-2*	C3040-2*	C3240-2*	C3640-2*
44	C1644-2	C2044-2	C2444-2	C2844-2*	C3044-2*	C3244-2**	C3644-2**
48	C1648-2	C2048-2	C2448-2	C2848-2*	C3048-2*	C3248-2**	C3648-2**
52	C1652-2	C2052-2	C2452-2	C2852-2*	C3052-2*	C3252-2**	C3652-2**
56	C1656-2	C2056-2	C2456-2	C2856-2*	C3056-2*	C3256-2**	C3656-2**
60	C1660-2	C2060-2	C2460-2	C2860-2*	C3060-2*	C3260-2**	C3660-2**
64	C1664-2	C2064-2	C2464-2	C2864-2*	C3064-2*	C3264-2**	C3664-2**
68	C1668-2	C2068-2	C2468-2	C2868-2*	C3068-2*	C3268-2**	C3668-2**
72	C1672-2	C2072-2	C2472-2	C2872-2*	C3072-2*	C3272-2**	C3672-2**
3 Wide Vinyl Casement							
	48	60	72	84	90	96	108
16		C2016-3	C2416-3	C2816-3	C3016-3	C3216-3	C3616-3
20	C1620-3	C2020-3	C2420-3	C2820-3	C3020-3	C3220-3	C3620-3
24	C1624-3	C2024-3	C2424-3	C2824-3	C3024-3	C3224-3	C3624-3
28	C1628-3	C2028-3	C2428-3	C2828-3	C3028-3	C3228-3	C3628-3*
32	C1632-3	C2032-3	C2432-3	C2832-3	C3032-3*	C3232-3*	C3632-3*
36	C1636-3	C2036-3	C2436-3	C2836-3*	C3036-3*	C3236-3*	C3636-3*
40	C1640-3	C2040-3	C2440-3	C2840-3*	C3040-3*	C3240-3*	C3640-3*
44	C1644-3	C2044-3	C2444-3	C2844-3*	C3044-3*	C3244-3**	C3644-3**
48	C1648-3	C2048-3	C2448-3	C2848-3*	C3048-3*	C3248-3**	C3648-3**
52	C1652-3	C2052-3	C2452-3	C2852-3*	C3052-3*	C3252-3**	C3652-3**
56	C1656-3	C2056-3	C2456-3	C2856-3*	C3056-3*	C3256-3**	C3656-3**
60	C1660-3	C2060-3	C2460-3	C2860-3*	C3060-3*	C3260-3**	C3660-3**
64	C1664-3	C2064-3	C2464-3	C2864-3*	C3064-3*	C3264-3**	C3664-3**
68	C1668-3	C2068-3	C2468-3	C2868-3*	C3068-3*	C3268-3**	C3668-3**
72	C1672-3	C2072-3	C2472-3	C2872-3*	C3072-3*	C3272-3**	C3672-3**

*Meets Bedroom Egress


**Meets 3rd Story Egress

WIDTH


HEIGHT

4 Wide Vinyl Casement						
	64	80	96	112	128	144
16		C2016-4	C2416-4	C2816-4	C3216-4	C3616-4
20	C1620-4	C2020-4	C2420-4	C2820-4	C3220-4	C3620-4
24	C1624-4	C2024-4	C2424-4	C2824-4	C3224-4	C3624-4
28	C1628-4	C2028-4	C2428-4	C2828-4	C3228-4	C3628-4*
32	C1632-4	C2032-4	C2432-4	C2832-4	C3232-4*	C3632-4*
36	C1636-4	C2036-4	C2436-4	C2836-4*	C3236-4*	C3636-4*
40	C1640-4	C2040-4	C2440-4	C2840-4*	C3240-4*	C3640-4*
44	C1644-4	C2044-4	C2444-4	C2844-4*	C3244-4**	C3644-4**
48	C1648-4	C2048-4	C2448-4	C2848-4*	C3248-4**	C3648-4**
52	C1652-4	C2052-4	C2452-4	C2852-4*	C3252-4**	C3652-4**
56	C1656-4	C2056-4	C2456-4	C2856-4*	C3256-4**	C3656-4**
60	C1660-4	C2060-4	C2460-4	C2860-4*	C3260-4**	C3660-4**
64	C1664-4	C2064-4	C2464-4	C2864-4*	C3264-4**	C3664-4**
68	C1668-4	C2068-4	C2468-4	C2868-4*	C3268-4**	C3668-4**
72	C1672-4	C2072-4	C2472-4	C2872-4*	C3272-4**	C3672-4**
5 Wide Vinyl Casement						
	80	100	120	140		
16		C2016-5	C2416-5	C2816-5		
20	C1620-5	C2020-5	C2420-5	C2820-5		
24	C1624-5	C2024-5	C2424-5	C2824-5		
28	C1628-5	C2028-5	C2428-5	C2828-5		
32	C1632-5	C2032-5	C2432-5	C2832-5		
36	C1636-5	C2036-5	C2436-5	C2836-5*		
40	C1640-5	C2040-5	C2440-5	C2840-5*		
44	C1644-5	C2044-5	C2444-5	C2844-5*		
48	C1648-5	C2048-5	C2448-5	C2848-5*		
52	C1652-5	C2052-5	C2452-5	C2852-5*		
56	C1656-5	C2056-5	C2456-5	C2856-5*		
60	C1660-5	C2060-5	C2460-5	C2860-5*		
64	C1664-5	C2064-5	C2464-5	C2864-5*		
68	C1668-5	C2068-5	C2468-5	C2868-5*		
72	C1672-5	C2072-5	C2472-5	C2872-5*		
6 Wide Vinyl Casement						
	96	120	144			
16		C2016-6	C2416-6			
20	C1620-6	C2020-6	C2420-6			
24	C1624-6	C2024-6	C2424-6			
28	C1628-6	C2028-6	C2428-6			
32	C1632-6	C2032-6	C2432-6			
36	C1636-6	C2036-6	C2436-6			
40	C1640-6	C2040-6	C2440-6			
44	C1644-6	C2044-6	C2444-6			
48	C1648-6	C2048-6	C2448-6			
52	C1652-6	C2052-6	C2452-6			
56	C1656-6	C2056-6	C2456-6			
60	C1660-6	C2060-6	C2460-6			
64	C1664-6	C2064-6	C2464-6			
68	C1668-6	C2068-6	C2468-6			
72	C1672-6	C2072-6	C2472-6			


4 Wide Vinyl Casement



5 Wide Vinyl Casement



6 Wide Vinyl Casement




Where multiple window units are shown, the number and placement of operating windows can be customized to suit your needs.

AWNING WINDOWS

WIDTH

1 Wide Vinyl Awning		16	20	24	28	32	36
HEIGHT	16		AW2016	AW2416	AW2816	AW3216	AW3616
	20		AW2020	AW2420	AW2820	AW3220	AW3620
	24		AW2024	AW2424	AW2824	AW3224	AW3624
	28		AW2028	AW2428	AW2828	AW3228	AW3628
	32		AW2032	AW2432	AW2832	AW3232	AW3632
	36		AW2036	AW2436	AW2836	AW3236	AW3636
		40	44	48	52	56	60
	16	AW4016	AW4416	AW4816	AW5216	AW5616	AW6016
	20	AW4020	AW4420	AW4820	AW5220	AW5620	AW6020
	24	AW4024	AW4424	AW4824	AW5224	AW5624	AW6024
	28	AW4028	AW4428	AW4828	AW5228	AW5628	AW6028
	32	AW4032	AW4432	AW4832	AW5232	AW5632	AW6032
	36	AW4036	AW4436	AW4836	AW5236	AW5636	AW6036
		64	68	72			
	16	AW6416	AW6816	AW7216			
	20	AW6420	AW6820	AW7220			
	24	AW6424	AW6824	AW7224			
	28	AW6428	AW6828	AW7228			
32	AW6432	AW6832	AW7232				
36	AW6436	AW6836	AW7236				

1 Wide Vinyl Awning




PICTURE WINDOWS

WIDTH


Wide Vinyl Picture												
	12	16	20	24	28	32	32	36	40	44	48	52
12	P1212	P1612	P2012	P2412	P2812	P3012	P3212	P3612	P4012	P4412	P4812	P5212
16	P1216	P1616	P2016	P2416	P2816	P3016	P3216	P3616	P4016	P4416	P4816	P5216
20	P1220	P1620	P2020	P2420	P2820	P3020	P3220	P3620	P4020	P4420	P4820	P5220
24	P1224	P1624	P2024	P2424	P2824	P3024	P3224	P3624	P4024	P4424	P4824	P5224
28	P1228	P1628	P2028	P2428	P2828	P3028	P3228	P3628	P4028	P4428	P4828	P5228
32	P1232	P1632	P2032	P2432	P2832	P3032	P3232	P3632	P4032	P4432	P4832	P5232
36	P1236	P1636	P2036	P2436	P2836	P3036	P3236	P3636	P4036	P4436	P4836	P5236
40	P1240	P1640	P2040	P2440	P2840	P3040	P3240	P3640	P4040	P4440	P4840	P5240
44	P1244	P1644	P2044	P2444	P2844	P3044	P3244	P3644	P4044	P4444	P4844	P5244
48	P1248	P1648	P2048	P2448	P2848	P3048	P3248	P3648	P4048	P4448	P4848	P5248
52	P1252	P1652	P2052	P2452	P2852	P3052	P3252	P3652	P4052	P4452	P4852	P5252
56	P1256	P1656	P2056	P2456	P2856	P3056	P3256	P3656	P4056	P4456	P4856	P5256
60	P1260	P1660	P2060	P2460	P2860	P3060	P3260	P3660	P4060	P4460	P4860	P5260
64	P1264	P1664	P2064	P2464	P2864	P3064	P3264	P3664	P4064	P4464	P4864	P5264
68	P1268	P1668	P2068	P2468	P2868	P3068	P3268	P3668	P4068	P4468	P4868	P5268
72	P1272	P1672	P2072	P2472	P2872	P3072	P3272	P3672	P4072	P4472	P4872	P5272
76	P1276	P1676	P2076	P2476	P2876	P3076	P3276	P3676	P4076	P4476	P4876	P5276
80	P1280	P1680	P2080	P2480	P2880	P3080	P3280	P3680	P4080	P4480	P4880	P5280
84	P1284	P1684	P2084	P2484	P2884	P3084	P3284	P3684	P4084	P4484	P4884	P5284
88	P1288	P1688	P2088	P2488	P2888	P3088	P3288	P3688	P4088	P4488	P4888	P5288
92	P1292	P1692	P2092	P2492	P2892	P3092	P3292	P3692	P4092	P4492	P4892	P5292
96	P1296	P1696	P2096	P2496	P2896	P3096	P3296	P3696	P4096	P4496	P4896	P5296
	56	60	64	68	72	76	80	84	88	92	96	
12	P5612	P6012	P6412	P6812	P7212	P7612	P8012	P8412	P8812	P9212	P9612	
16	P5616	P6016	P6416	P6816	P7216	P7616	P8016	P8416	P8816	P9216	P9616	
20	P5620	P6020	P6420	P6820	P7220	P7620	P8020	P8420	P8820	P9220	P9620	
24	P5624	P6024	P6424	P6824	P7224	P7624	P8024	P8424	P8824	P9224	P9624	
28	P5628	P6028	P6428	P6828	P7228	P7628	P8028	P8428	P8828	P9228	P9628	
32	P5632	P6032	P6432	P6832	P7232	P7632	P8032	P8432	P8832	P9232	P9632	
36	P5636	P6036	P6436	P6836	P7236	P7636	P8036	P8436	P8836	P9236	P9636	
40	P5640	P6040	P6440	P6840	P7240	P7640	P8040	P8440	P8840	P9240	P9640	
44	P5644	P6044	P6444	P6844	P7244	P7644	P8044	P8444	P8844	P9244	P9644	
48	P5648	P6048	P6448	P6848	P7248	P7648	P8048	P8448	P8848	P9248	P9648	
52	P5652	P6052	P6452	P6852	P7252	P7652	P8052	P8452	P8852	P9252	P9652	
56	P5656	P6056	P6456	P6856	P7256	P7656	P8056	P8456	P8856	P9256		
60	P5660	P6060	P6460	P6860	P7260	P7660						
64	P5664	P6064	P6464	P6864	P7264	P7664						
68	P5668	P6068	P6468	P6868	P7268	P7668						
72	P5672	P6072	P6472	P6872	P7272							
76	P5676	P6076	P6476	P6876								
80	P5680											
84	P5684											
88	P5688											
92	P5692											

HEIGHT

Vinyl Picture With Sash



Vinyl Picture Without Sash



SINGLE-HUNG WINDOWS

* Meets Bedroom Egress

** Meets 3rd Story Egress


WIDTH

		1 Wide Vinyl Single-Hung								
		16	20	24	28	30	32	36	40	44
HEIGHT	36		SH2036	SH2436	SH2836	SH3036	SH3236	SH3636	SH4036	SH4436
	40		SH2040	SH2440	SH2840	SH3040	SH3240	SH3640	SH4040	SH4440
	44		SH2044	SH2444	SH2844	SH3044	SH3244	SH3644	SH4044	SH4444
	48		SH2048	SH2448	SH2848	SH3048	SH3248	SH3648	SH4048*	SH4448*
	52		SH2052	SH2452	SH2852	SH3052	SH3252	SH3652*	SH4052*	SH4452*
	56		SH2056	SH2456	SH2856	SH3056	SH3256	SH3656*	SH4056*	SH4456*
	60		SH2060	SH2460	SH2860	SH3060*	SH3260*	SH3660*	SH4060*	SH4460*
	64		SH2064	SH2464	SH2864*	SH3064*	SH3264*	SH3664*	SH4064*	SH4464*
	68		SH2068	SH2468	SH2868*	SH3068*	SH3268*	SH3668*	SH4068*	SH4468*
	72		SH2072	SH2472	SH2872*	SH3072*	SH3272*	SH3672*	SH4072*	SH4472*
			2 Wide Vinyl Single-Hung							
		32	40	48	56	60	64	72	80	88
HEIGHT	36		SH2036-2	SH2436-2	SH2836-2	SH3036-2	SH3236-2	SH3636-2	SH4036-2	SH4436-2
	40		SH2040-2	SH2440-2	SH2840-2	SH3040-2	SH3240-2	SH3640-2	SH4040-2	SH4440-2
	44		SH2044-2	SH2444-2	SH2844-2	SH3044-2	SH3244-2	SH3644-2	SH4044-2	SH4444-2
	48		SH2048-2	SH2448-2	SH2848-2	SH3048-2	SH3248-2	SH3648-2	SH4048-2*	SH4448-2*
	52		SH2052-2	SH2452-2	SH2852-2	SH3052-2	SH3252-2	SH3652-2*	SH4052-2*	SH4452-2*
	56		SH2056-2	SH2456-2	SH2856-2	SH3056-2	SH3256-2	SH3656-2*	SH4056-2*	SH4456-2*
	60		SH2060-2	SH2460-2	SH2860-2	SH3060-2*	SH3260-2*	SH3660-2*	SH4060-2*	SH4460-2*
	64		SH2064-2	SH2464-2	SH2864-2*	SH3064-2*	SH3264-2*	SH3664-2*	SH4064-2*	SH4464-2*
	68		SH2068-2	SH2468-2	SH2868-2*	SH3068-2*	SH3268-2*	SH3668-2*	SH4068-2*	SH4468-2*
	72		SH2072-2	SH2472-2	SH2872-2*	SH3072-2*	SH3272-2*	SH3672-2*	SH4072-2*	SH4472-2*


WIDTH

		3 Wide Vinyl Single-Hung								
		48	60	72	84	90	96	108	120	132
HEIGHT	36		SH2036-3	SH2436-3	SH2836-3	SH3036-3	SH3236-3	SH3636-3	SH4036-3	SH4436-3
	40		SH2040-3	SH2440-3	SH2840-3	SH3040-3	SH3240-3	SH3640-3	SH4040-3	SH4440-3
	44		SH2044-3	SH2444-3	SH2844-3	SH3044-3	SH3244-3	SH3644-3	SH4044-3	SH4444-3
	48		SH2048-3	SH2448-3	SH2848-3	SH3048-3	SH3248-3	SH3648-3	SH4048-3*	SH4448-3*
	52		SH2052-3	SH2452-3	SH2852-3	SH3052-3	SH3252-3	SH3652-3*	SH4052-3*	SH4452-3*
	56		SH2056-3	SH2456-3	SH2856-3	SH3056-3	SH3256-3	SH3656-3*	SH4056-3*	SH4456-3*
	60		SH2060-3	SH2460-3	SH2860-3	SH3060-3*	SH3260-3*	SH3660-3*	SH4060-3*	SH4460-3*
	64		SH2064-3	SH2464-3	SH2864-3*	SH3064-3*	SH3264-3*	SH3664-3*	SH4064-3*	SH4464-3*
	68		SH2068-3	SH2468-3	SH2868-3*	SH3068-3*	SH3268-3*	SH3668-3*	SH4068-3*	SH4468-3*
	72		SH2072-3	SH2472-3	SH2872-3*	SH3072-3*	SH3272-3*	SH3672-3*	SH4072-3*	SH4472-3*


1 Wide Vinyl Single-Hung



2 Wide Vinyl Single-Hung



3 Wide Vinyl Single-Hung



Where multiple window units are shown, the number and placement of operating windows can be customized to suit your needs.

SLIDER WINDOWS

*Meets Bedroom Egress


**Meets 3rd Story Egress

WIDTH


1 Wide Vinyl Single Slider														
	24	28	30	32	36	40	44	48	52	56	60	64	68	72
20	SL2420	SL2820	SL3020	SL3220	SL3620	SL4020	SL4420	SL4820	SL5220	SL5620	SL6020	SL6420	SL6820	SL7220
24	SL2424	SL2824	SL3024	SL3224	SL3624	SL4024	SL4424	SL4824	SL5224	SL5624	SL6024	SL6424	SL6824	SL7224*
28	SL2428	SL2828	SL3028	SL3228	SL3628	SL4028	SL4428	SL4828	SL5228	SL5628	SL6028*	SL6428*	SL6828*	SL7228*
32		SL2832	SL3032	SL3232	SL3632	SL4032	SL4432	SL4832	SL5232*	SL5632*	SL6032*	SL6432*	SL6832*	SL7232*
36		SL2836	SL3036	SL3236	SL3636	SL4036	SL4436	SL4836*	SL5236*	SL5636*	SL6036*	SL6436*	SL6836*	SL7236*
40		SL2840	SL3040	SL3240	SL3640	SL4040	SL4440*	SL4840*	SL5240*	SL5640*	SL6040*	SL6440*	SL6840*	SL7240*
44					SL3644	SL4044	SL4444*	SL4844*	SL5244*	SL5644*	SL6044*	SL6444*	SL6844*	SL7244*
48						SL4048	SL4448*	SL4848*	SL5248*	SL5648**	SL6048**	SL6448**	SL6848**	SL7248**
2 Wide Vinyl Single Slider														
	72		80		88		96		104		112		120	
28	SL3628-2		SL4028-2		SL4428-2		SL4828-2		SL5228-2		SL5628-2		SL6028-2*	
32	SL3632-2		SL4032-2		SL4432-2		SL4832-2		SL5232-2*		SL5632-2*		SL6032-2*	
36	SL3636-2		SL4036-2		SL4436-2		SL4836-2*		SL5236-2*		SL5636-2*		SL6036-2*	
40	SL3640-2		SL4040-2		SL4440-2*		SL4840-2*		SL5240-2*		SL5640-2*		SL6040-2*	
44	SL3644-2		SL4044-2		SL4444-2*		SL4844-2*		SL5244-2*		SL5644-2*		SL6044-2*	
48			SL4048-2		SL4448-2*		SL4848-2*		SL5248-2*		SL5648-2**		SL6048-2**	
1 Wide Vinyl Single Slider Combination														
	24		28		30		32		36		40		44	
56	SLS11-2436-2420		SLS11-2836-2820		SLS11-3036-3020		SLS11-3236-3220		SLS11-3636-3620		SLS11-4036-4020		SLS11-4436-4420	
60	SLS11-2440-2420		SLS11-2840-2820		SLS11-3040-3020		SLS11-3240-3220		SLS11-3640-3620		SLS11-4040-4020		SLS11-4440-4420	
64	SLS11-2444-2420		SLS11-2844-2820		SLS11-3044-3020		SLS11-3244-3220		SLS11-3644-3620		SLS11-4044-4020		SLS11-4444-4420	
68	SLS11-2448-2420		SLS11-2848-2820		SLS11-3048-3020		SLS11-3248-3220		SLS11-3648-3620		SLS11-4048-4020		SLS11-4448-4420	
72	SLS11-2452-2420		SLS11-2852-2820		SLS11-3052-3020		SLS11-3252-3220		SLS11-3652-3620		SLS11-4052-4020		SLS11-4452-4420	
	48		52		56		60		64		68		72	
56	SLS11-4836-4820		SLS11-5236-5220		SLS11-5636-5620		SLS11-6036-6020		SLS11-6436-6420		SLS11-6836-6820		SLS11-7236-7220	
60	SLS11-4840-4820		SLS11-5240-5220		SLS11-5640-5620		SLS11-6040-6020		SLS11-6440-6420		SLS11-6840-6820		SLS11-7240-7220	
64	SLS11-4844-4820		SLS11-5244-5220		SLS11-5644-5620		SLS11-6044-6020		SLS11-6444-6420		SLS11-6844-6820		SLS11-7244-7220	
68	SLS11-4848-4820		SLS11-5248-5220		SLS11-5648-5620		SLS11-6048-6020		SLS11-6448-6420		SLS11-6848-6820		SLS11-7248-7220	
72	SLS11-4852-4820		SLS11-5252-5220		SLS11-5652-5620		SLS11-6052-6020		SLS11-6452-6420		SLS11-6852-6820		SLS11-7252-7220	
2 Wide Vinyl Single Slider Combination														
	72		80		88		96		104		112		120	
56	SLS22-3636-3620		SLS22-4036-4020		SLS22-4436-4420		SLS22-4836-4820		SLS22-5236-5220		SLS22-5636-5620		SLS22-6036-6020	
60	SLS22-3640-3620		SLS22-4040-4020		SLS22-4440-4420		SLS22-4840-4820		SLS22-5240-5220		SLS22-5640-5620		SLS22-6040-6020	
64	SLS22-3644-3620		SLS22-4044-4020		SLS22-4444-4420		SLS22-4844-4820		SLS22-5244-5220		SLS22-5644-5620		SLS22-6044-6020	
68	SLS22-3648-3620		SLS22-4048-4020		SLS22-4448-4420		SLS22-4848-4820		SLS22-5248-5220		SLS22-5648-5620		SLS22-6048-6020	
72	SLS22-3652-3620		SLS22-4052-4020		SLS22-4452-4420		SLS22-4852-4820		SLS22-5252-5220					

HEIGHT


1 Wide Vinyl Single Slider




2 Wide Vinyl Single Slider



1 Wide Vinyl Single Slider Combination



2 Wide Vinyl Single Slider Combination



OUR WARRANTY TO YOU

Our Real Life Warranty is our promise that the window or door you choose will perform in real life situations – from seasonal changes to daily use. The information contained here does not represent the full legal JELD-WEN warranty. For full warranty details (including exclusions and commercial warranty coverage), or to register your JELD-WEN warranty, please visit www.jeld-wen.ca.

JELD-WEN Vinyl Window And Patio Door Limited Warranty

What This Warranty Covers

Except as set forth in the Special Coverages section beside, we warranty that if your JELD-WEN product exhibits a defect in material or workmanship within the time periods from the date of manufacture as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labour (where deemed necessary by us) to repair or replace any component is provided for two (2) years from the date of manufacture. This warranty covers products manufactured on or after July 1, 2010.

Lifetime Warranty

We warranty our products to the original owner of the owner-occupied single-family residence in which they are initially installed for as long as you own and occupy your residence.

Transferability

In the event you sell your residence or it becomes occupied by other than the original owner, the warranty is ten (10) years from the date of manufacture.

Special Coverages

The following special coverages include free replacement parts

- **ImpactGuard® Glass:** Ten (10) years.
- **Special Glazings:** Five (5) years on special glazing options including, but not limited to laminate, leaded or decorative glass.
- **Blinds/Shades Between the Glass:** Ten (10) years on insulated glass unit (including the seal), the external control mechanism, and the operation of the shade/blind.
- **Triple-Glazed Products:** Twenty (20) years.
- **Spontaneous Glass Breakage:** One (1) year free glass replacement and skilled labour required to replace on sealed units installed in windows or patio doors (excluding laminated glass and special glazings). Spontaneous breakage occurs when the glass develops a crack without sign of impact.
- **Coloured Exterior:** Ten (10) years on factory-applied, painted exterior colour against excessive colour change.

JELD-WEN Exterior Door Slab And System Warranty

What This Warranty Covers

We warrant to the original owner if your JELD-WEN product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labour (where deemed necessary by us) to repair or replace any component is provided for one (1) year from the date of purchase. This warranty covers products manufactured on or after May 1, 2012.

Limited Warranty

- **Door Slabs:** Including any glass inserts, miscellaneous hardware and accessories provided and installed by us.
- **Steel Exterior Doors:** Ten (10) years.
- **Fibreglass Exterior Doors:** As long as you own and occupy your residence.
- **FiberLast® Engineered Composite Exterior Doors:** As long as you own and occupy your residence.
- **Wood Exterior Doors:** Five (5) years.
- **Door Frames:** One (1) year.
- **Spontaneous Glass Breakage:** One (1) year free glass replacement and skilled labour required to replace on sealed units installed in windows or patio doors (excluding laminated glass and special glazings). Spontaneous breakage occurs when the glass develops a crack without sign of impact.
- **Blinds/Shades Between the Glass:** Ten (10) years on insulated glass unit (including the seal), the external control mechanism, and the operation of the shade/blind.

- **Clad Finish:** Ten (10) years against peeling, checking, cracking or exhibiting excessive chalk, fading or colour changes. Kynar® finishes are warranted for twenty (20) years. Note: Clad products installed within 2 kms of a salt-water source or other corrosive environment require additional and specific maintenance. Refer to our full care and maintenance instructions on jeld-wen.ca

How to Get Assistance

If you have a problem with your JELD-WEN Product, contact the retailer or contractor from whom you purchased your product, or contact us directly:

Mail: JELD-WEN Service Department
Attn: Warranty Claims
90 Stone Ridge Road, Vaughan, ON, Canada L4H 3G9

Phone: 800-440-2714 or 905-265-5700

Fax: 905-265-5701

We can respond quickly and efficiently if you provide the following information: a/ product identification (from the original order/invoice, spacer code, permanent label, or the window identification number found on the corner of the glass), b/ how to contact you, c/ the address where the product can be inspected, and d/ a description of the apparent problem and the product (photographs are helpful). If you have previously registered your warranty on www.jeld-wen.ca please provide the warranty registration number.

*Visit www.jeld-wen.ca for full warranty details



The JELD-WEN® website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at www.jeld-wen.ca today.

JELD-WEN
WINDOWS & DOORS

Follow us...



JELD-WEN reserves the right to change product specifications without notice. Please check our website for current information: www.jeld-wen.ca

Printed in Canada 15C-121A 04/14

